

Andrew M. Leeds, Ph.D.
Clarifying EMDR Therapy and the AIP model

Resources

Adverse Childhood Experiences questions

<http://acestudy.org/uploads/3/4/9/6/34961588/10-qacecalc.pdf>

<http://www.ncjfcj.org/sites/default/files/Finding%20Your%20ACE%20Score.pdf>

<https://www.fresnostate.edu/chhs/ccci/documents/31%20Adverse%20Childhood%20Experience%20Scale.pdf>

In depth ACE information at:

<https://www.cdc.gov/violenceprevention/acestudy/index.html>

The Psychotherapy Assessment Checklist (PAC Forms)

<http://affectphobiatherapy.com/forms/>

American Psychiatric Association DSM 5 screens for DSM 5 conditions

<https://www.psychiatry.org/psychiatrists/practice/dsm/educational-resources/assessment-measures>

Patient Health Questionnaire (PHQ)

<http://www.phqscreeners.com/select-screener/41>

The Quick Inventory of Depressive Symptomatology (QIDS)

<http://goodmedicine.org.uk/files/depression,%20assessment%20qids-sr16.pdf>

The Panic Disorder Severity Scale – Self Report Form

<http://www.goodmedicine.org.uk/files/panic,%20assessment%20pdss.pdf>

Columbia-Suicide Severity Rating Scale

https://www.integration.samhsa.gov/clinical-practice/Columbia_Suicide_Severity_Rating_Scale.pdf

Suicide Assessment Five-step Evaluation and Triage (SAFE-T)

https://www.integration.samhsa.gov/images/res/SAFE_T.pdf

The Impact of Events Scale–Revised (IES–R)

<http://serene.me.uk/tests/ies-r.pdf> <http://getcbt.org/download/r-ies.pdf>

The PTSD Checklist for DSM-5

<https://www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp>

Clinician-Administered PTSD Scale (CAPS) request from The National Center for PTSD

<https://www.ptsd.va.gov/professional/assessment/ncptsd-instrument-request-form.asp>

Trauma exposure measures are available at:

<https://www.ptsd.va.gov/professional/assessment/te-measures/index.asp>

Life Events Checklist for DSM-5 (LEC-5)

https://www.ptsd.va.gov/professional/assessment/te-measures/life_events_checklist.asp

The Adolescent Dissociative Experience Scale.

<http://cw.routledge.com/textbooks/eresources/9780415889957/AppendixE.pdf>

The multidimensional inventory of dissociation (MID)

Obtain MID materials at: <http://www.mid-assessment.com/>

Somatoform dissociation questionnaire

<http://www.enijenhuis.nl/sdq/>

Loewenstein mental status examination

<https://app.box.com/s/lbcezot33x81lc8thqhk1mlewmxv6hsa>

<https://app.box.com/s/k3fvzb72essb3c94tiffac80m939lb6l>

Dissociative disorders interview schedule.

<http://rossinst.com/ddis.html>

DES-II

https://www.researchgate.net/publication/232515683_An_Update_on_the_Dissociative_Experiences_Scale

DES-II taxon

http://www.isst-d.org/downloads/DES_Taxon.xls

The Cambridge depersonalization scale:

Word file includes basic scoring information:

www.goodmedicine.org.uk/files/assessment,%20depersonalization,%20t.DOC

PDF:

[http://www.excellenceforchildandyouth.ca/sites/default/files/meas_attach/Cambridge_Depersonalization_Scale_\(CDS\).pdf](http://www.excellenceforchildandyouth.ca/sites/default/files/meas_attach/Cambridge_Depersonalization_Scale_(CDS).pdf)

The Adult Attachment Interview Protocol:

http://www.psychology.sunysb.edu/attachment/measures/content/aai_interview.pdf

RDI scripts can be downloaded free of charge from:

<https://gumroad.com/l/Cekid>

References

- Armstrong, J., Putnam, F. W., Carlson, E., Libero, D., & Smith, S. (1997). Development and validation of a measure of adolescent dissociation: The Adolescent Dissociative Experience Scale. *Journal of Nervous and Mental Disease*, 185, 491–497.
- Burton, C. M., & King, L. A. (2004). The health benefits of writing about intensely positive experiences. *Journal of Research in Personality*, 38(2), 150-163. doi:10.1016/s0092-6566(03)00058-8
- Carlson, E. B., & Putnam, F. W. (1993). An update on the Dissociative Experiences Scale. *Dissociation*, 6, 16–27.
- de Jongh, A., ten Broeke, E., & Meijer, S. (2010). Two method approach: A case conceptualization model in the context of EMDR. *Journal of EMDR Practice and Research*, 4(1), 12-21. doi:10.1891/1933-3196.4.1.12
- Dell, P. F. (2006a). The multidimensional inventory of dissociation (MID): A comprehensive measure of pathological dissociation. *Journal of Trauma & Dissociation*, 7(2), 77-106.
- Dell, P. F. (2006b). A new model of dissociative identity disorder. *The Psychiatric Clinics of North America*, 29(1), 1-26.
- EMDRIA (2012). EMDRIA Definition of EMDR. Retrieved 12/30/16 from <http://c.yimcdn.com/sites/www.emdria.org/resource/resmgr/imported/EMDRIA%20Definition%20of%20EMDR.pdf>
- Farrington, A., Waller, G., Smerden, J., & Faupel, A. W. (2001). The adolescent dissociative experiences scale: Psychometric properties and difference in scores across age groups. *The Journal of Nervous and Mental Disease*, 189(10), 722-727.
- Fernandez, I., & Faretta, E. (2007). EMDR in the treatment of panic disorder with agoraphobia. *Clinical Case Studies*, 6(1), 44-63.
- Foa, E. B., Kozak, M. J., Salkovskis, P. M., Coles, M. E., & Amir, N. (1998). The validation of a new obsessive-compulsive disorder scale: The Obsessive-Compulsive Inventory. *Psychological Assessment*, 10, 206-214.
- Foster, S., & Lendl, J. (1995). Eye movement desensitization and reprocessing: Initial application for enhancing performance in athletes. *Journal of Applied Sport Psychology*, 7(Supplement), 63.
- George, C., Kaplan, N., & Main, M. (1996). Adult attachment interview. *Unpublished Manuscript, Department of Psychology, University of California, Berkeley (3rd Ed.)*. April, 1996.
- Gonzalez, A., & Mosquera, D. (2012). *EMDR and dissociation: The progressive approach*. Charleston, SC: Amazon Imprint.
- Goodman, W. K., Price L. H., Rasmussen, S. A., Mazure, C., Fleishmann, R. L., Hill, C. L., . . . Charney, D. S. (1989). The Yale-Brown Obsessive Compulsive Scale. I. Development, use and reliability. *Archives of General Psychiatry*, 46(11), 1006-1011.
- Hassett, A. L., Radvanski, D. C., Vaschillo, E. G., Vaschillo, B., Sigal, L. H., Karavidas, M. K., . . . Lehrer, P. M. (2007). A pilot study of the efficacy of heart rate variability (HRV) biofeedback in patients with fibromyalgia. *Applied Psychophysiology and Biofeedback*, 32(1), 1-10.
- Hofmann, A. (2004). *EMDR in the treatment of complex PTSD*. Paper presented at the EMDR International Association Conference, Montreal, Quebec.
- Hofmann, A. (2005). *EMDR in der Behandlung psychotraumatischer Belastungssyndrome [EMDR therapy with posttraumatic stress syndromes]*. Stuttgart, Germany: Thieme.
- Hoffman, A. (2009) The Absorption Technique. In: Luber, M. (Ed). *Eye Movement Desensitization and Reprocessing (EMDR). Scripted Protocols. Special Populations*. 275-280.
- Hofmann, A. (2010). The inverted EMDR standard protocol for unstable complex post-traumatic stress disorder. In M. Luber (Ed.), *Eye movement desensitization and reprocessing (EMDR) scripted protocols: Special populations* (pp. 313–328). New York, NY: Springer.

- Hofmann, A., Hilgers, A., Lehnung, M., Liebermann, P., Ostacoli, L., Schneider, W., & Hase, M. (2014). Eye movement desensitization and reprocessing as an adjunctive treatment of unipolar depression: A controlled study. *Journal of EMDR Practice and Research*, 8(3), 103-112. doi:10.1891/1933-3196.8.3.103
- Knipe, J. (2014). *EMDR toolbox: Theory and treatment of complex PTSD and dissociation*. New York: Springer Publishing Company.
- Kinowski, K. (2002). Best Foot Forward, EMDRIA Conference, San Diego.
- Koerner, K., Miller, A. L., & Wagner, A. W. (1998). Dialectical behavior therapy: Part I. Principle based intervention with multi-problem patients. *Journal of Practical Psychiatry and Behavioral Health*, 4, 28–36.
- Korn, D. L., Weir, J., & Rozelle, D. (2004). Looking beyond the data: Clinical lessons learned from an EMDR treatment outcome study, session 321. *EMDR international association conference*. Montreal, Quebec: Nationwide Recording Services.
- Leeds, A. M. (1997, July). “In the eye of the beholder: reflections on shame, dissociation, and transference in complex posttraumatic stress and attachment related disorders. Principles of case formulation for EMDR treatment planning and the use of Resource Installation.” Paper presented at the EMDR International Association, San Francisco.
- Leeds, A. M. (1998). Lifting the burden of shame: Using EMDR Resource Installation to resolve a therapeutic impasse. In P. Manfield (Ed.), *Extending EMDR, A case book of Innovative Applications*. New York: W.W. Norton.
- Leeds, A. M. (2004). *EMDR treatment made simple*. EMDRIA Approved Continuing Education Workshop, May 22, 2004, Los Angeles, CA.
- Leeds, A. M. (2006). Criteria for assuring appropriate clinical use and avoiding misuse of resource development and installation when treating complex posttraumatic stress syndromes. *EMDRIA conference*. Philadelphia: Session 226.
Available without fee from: <https://gumroad.com/l/XkrZd>
- Leeds, A. M. (2009, August 29). AIP, attachment theory and EMDR case conceptualization. EMDRIA conference. Atlanta: Session 333.
Available without fee from: <https://gumroad.com/l/KuTxB>
- Leeds, A. M. (2012). EMDR treatment of panic disorder and agoraphobia: Two model treatment plans. *Journal of EMDR Practice and Research*, 6(3), 110-119. doi:10.1891/1933-3196.6.3.110
- Leeds, A. M. (2016). *A guide to the standard EMDR therapy protocols for clinicians, supervisors, and consultants* (2nd ed.). New York: Springer Publishing Company.
- Leeds, A. M., & Shapiro, F. (2000). EMDR and Resource Installation: Principles and procedures for enhancing current functioning and resolving traumatic experiences. In J. Carlson & L. Sperry (Eds.), *Brief Therapy Strategies with Individuals and Couples*: Zeig/Tucker.
- Lendl, J., & Foster, S. (1997). *EMDR 'Performance Enhancement' for the workplace: A practitioners' manual*. San Jose, California: Performance Enhancement Unlimited.
- Linehan, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York, NY: Guilford Press.
- Loewenstein, R. J. (1991). An office mental status examination for complex chronic dissociative symptoms and multiple personality disorder. *Psychiatr Clin North Am*, 14(3), 567-604.
- Magai, C. (1999). Affect, imagery, and attachment: Working models of interpersonal affect and the socialization of emotion. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (pp. 787-802). New York: Guilford Press.
- Manfield, P. (2010). *Dyadic Resourcing: Creating a Foundation for Processing Trauma*. CreateSpace Independent Publishing Platform.
- Marr, J. (2012). EMDR treatment of obsessive-compulsive disorder: Preliminary research. *Journal of EMDR Practice and Research*, 6(1), 2-15. doi:10.1891/1933-3196.6.1.2

- Marsden, Z. (2016). EMDR treatment of obsessive-compulsive disorder: Three cases. *Journal of EMDR Practice and Research*, 10(2), 91-103. doi:10.1891/1933-3196.10.2.91
- Marsden, Z., Lovell, K., Blore, D., Ali, S., & Delgadillo, J. (2017). A randomized controlled trial comparing EMDR and CBT for obsessive-compulsive disorder. *Clinical Psychology & Psychotherapy*. doi:10.1002/cpp.2120
- McCullough, L. (2003, February 13, 2003). *Directions for the Psychotherapy Assessment Checklist (PAC Forms)*. Retrieved May 31, 2015, from <http://affectphobiatherapy.com/forms/>
- Najavits, L. (2002). *The Guilford substance abuse series: Seeking safety: A treatment manual for PTSD and substance abuse* (pp. xiv, 399 p.). New York: Guilford Press.
- Nijenhuis, E. R., Spinhoven, P., Van Dyck, R., Van Der Hart, O., & Vanderlinden, J. (1996). The development and psychometric characteristics of the somatoform dissociation questionnaire (SDQ-20). *The Journal of Nervous and Mental Disease*, 184(11), 688-694.
- Nijenhuis, E. R., Spinhoven, P., van Dyck, R., Van der Hart, O., & Vanderlinden, J. (1997). The development of the somatoform dissociation questionnaire (SDQ-5) as a screening instrument for dissociative disorders. *Acta Psychiatrica Scandinavia*, 96(5), 311-8.
- O'Toole, G. (2011). "Everything Should Be Made as Simple as Possible, But Not Simpler" <http://quoteinvestigator.com/2011/05/13/einstein-simple/>
- Parnell, L. (2006) *A Therapist's Guide to EMDR*, Norton, New York.
- Popky, A. J. (2005). DeTUR, an Urge Reduction Protocol for Addictions and Dysfunctional Behaviors. In R. Shapiro (Ed.), *EMDR solutions: pathways to healing* (pp. 167-188). New York: W. W. Norton.
- Putnam, F. W., Helmers, K., & Trickett, P. K. (1993). Development, reliability, and validity of a child dissociation scale. *Child Abuse & Neglect*, 17, 731-741.
- Rachman, S. (1980). Emotional processing. *Behaviour Research and Therapy*, 14, 125-132.
- Ross, C. A., Heber, S., Norton, G. R., Anderson, D., Anderson, G., & Barchet, P. (1989). *Dissociation*: Vol. 2, no. 3, p. 169-189: The dissociative disorders interview schedule: A structured interview.
- Schmidt, S. J. (2004). Developmental needs meeting strategy: A new treatment approach applied to dissociative identity disorder. *Journal of Trauma & Dissociation*.
- Schmidt, S. J., & Hernandez, A. (2007). The developmental needs meeting strategy: Eight case studies. *Traumatology*, 13(1), 27. doi:10.1177/1534765607299913
- Servan-Schreiber, D. (2004). *The instinct to heal: Curing stress, anxiety, and depression without drugs and without talk therapy* (pp. x, 294 p.). Emmaus, Pa.: Rodale.
- Shapiro, E. (2011). Suggestions for teaching the application of eye movements in EMDR. *Journal of EMDR Practice and Research*, 5(2), 73-77. doi:10.1891/1933-3196.5.2.73
- Shapiro, F. (1989). Efficacy of the eye movement desensitization procedure in the treatment of traumatic memories. *Journal of Traumatic Stress Studies*, 2, 199-223.
- Shapiro, F. (1989b). Eye movement desensitization: A new treatment for post-traumatic stress disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 20, 211-217.
- Shapiro, F. (1991). Eye movement desensitization and reprocessing procedure: From EMD to EMD/R - a new treatment model for anxiety and related traumata. *The Behavior Therapist*, 14, 133-135.
- Shapiro, F. (2001). *Eye movement desensitization and reprocessing, basic principles, protocols and procedures*. New York: The Guilford Press.
- Shear, M. K., Brown, T. A., Barlow, D. H., Money, R., Sholomskas, D. E., Woods, S. W., Gorman, J. M., Papp, L. A. (1977). Multicenter collaborative Panic Disorder Severity Scale. *American Journal of Psychiatry* 154, 1571-1575.
- Siegel, D. J. (2012). *The developing mind: How relationships and the brain interact to shape who we are* (2nd ed.). New York, NY: Guilford Press.

- Sierra, M., & Berrios, G. E. (2000). The Cambridge depersonalization scale: A new instrument for the measurement of depersonalization. *Psychiatry Research*, 93(2), 153-64.
- Steele, A. (2001). Introduction to imaginal nurturing with EMDR in the treatment of adult clients with insecure attachment. Presentation at the EMDR Canada Annual Conference, Vancouver, BC
- Steele, A. (2003, September). Imaginal nurturing. Presentation at the 8th EMDR International Association Conference, Denver, CO.
- Steinert, C., Bumke, P. J., Hollekamp, R. L., Larisch, A., Leichsenring, F., Mattheß, H., . . . Kruse, J. (2016a). Resource activation for treating post-traumatic stress disorder, co-morbid symptoms and impaired functioning: A randomized controlled trial in Cambodia. *Psychological Medicine*, 1-12. doi:10.1017/S0033291716002592
- Steinert, C., Bumke, P. J., Hollekamp, T. L., Larisch, A., Leichsenring, F., Mattheß, H., . . . Kruse, J. (2016b). Treating post-traumatic stress disorder by resource activation in Cambodia. *World Psychiatry*, 15(2), 183-185. doi:10.1002/wps.20303
- Tofani, L. R., & Wheeler, K. (2011). The recent-traumatic episode protocol: Outcome evaluation and analysis of three case studies. *Journal of EMDR Practice and Research*, 5(3), 95-110. doi:10.1891/1933-3196.5.3.95
- Tolin, D. F., Abramowitz, J. S., & Diefenbach, G. J. (2005) De-fining response in clinical trials for obsessive compulsive disorder: A single detection analysis of the Yale-Brown obsessive compulsive scale. *The Journal of Clinical Psychiatry*, 66(12), 1549-1557.
- van der Hart, O., Groenendijk, M., Gonzalez, A., Mosquera, D., & Solomon, R. (2013). Dissociation of the personality and EMDR therapy in complex trauma-related disorders: Applications in the stabilization phase. *Journal of EMDR Practice and Research*, 7(2), 81-94. doi:10.1891/1933-3196.7.2.81
- van der Kolk, B. A., Spinazzola, J., Blaustein, M. E., Hopper, J. W., Hopper, E. K., Korn, D. L., & Simpson, W. B. (2007). A randomized clinical trial of eye movement desensitization and reprocessing (EMDR), fluoxetine, and pill placebo in the treatment of posttraumatic stress disorder: Treatment effects and long- term maintenance. *Journal of Clinical Psychiatry*, 68(1), 37-46.
- Waller, N. G., & Ross, C. A. (1997). The prevalence and biometric structure of pathological dissociation in the general population: Taxometric and behavior genetic findings. *Journal of Abnormal Psychology*, 106(4), 499-510.
- Watkins, J. G. (1971). The affect bridge: A hypnoanalytic technique. *Journal of Clinical and Experimental Hypnosis*, 19(1), 21-27.
- Wesselmann, D., & Potter, A. E. (2009). Change in adult attachment status following treatment with EMDR: Three case studies. *Journal of EMDR Practice and Research*, 3(3), 178-191. doi:10.1891/1933-3196.3.3.178
- Wing, J. F., Schutte, N. S., & Byrne, B. (2006). The effect of positive writing on emotional intelligence and life satisfaction. *Journal of Clinical Psychology*, 62(10), 1291-302. doi:10.1002/jclp.20292
- Young, J. E., Zangwill, W. M., & Behary, W. E. (2002). Combining EMDR and schema-focused therapy: The whole may be greater than the sum of the parts. In F. Shapiro (Ed.), *EMDR and the paradigm prism* (pp. 181-208). Washington DC: American Psychological Association Press.